

FOI Reference Number: FOI/352/1920

Date: 09 January 2020

Request:

Thank you for your letter of 12th December relating to the above reference in response to an enforcement complaint I made in relation to potential traffic related to Cloghan Point Oil Terminal, Whitehead. In order that I can better understand how you reached this decision I would be grateful if you could provide me with all relevant documents and internal/external correspondence related to investigating the potential breach of planning control, under the relevant Freedom of Information regulations.

Response:

Thank you for your information request which Mid and East Antrim Borough Council received on 18 December 2019.

Please note, this request has been processed under the Environmental Information Regulations 2004 as opposed to the Freedom of Information Act 2000 as it relates to the environment.

Please find attached, Mid and East Antrim Borough Council's response in relation to your request about an enforcement complaint. Part of the information provided has been redacted as it is exempt under exception 13(1) of the Environmental Information Regulations 2004. This exception states, '13(1) To the extent that the information requested includes personal data of which the applicant is not the data subject a public authority shall not disclose the personal data'.

If you are dissatisfied with the handling of part of your request, you have the right to ask for an internal review. Internal review requests should be submitted within two months of the date of receipt of the response to your original letter and should be addressed to the Chief Executive at the Braid Ballymena Town Hall, 1-29 Bridge Street, Ballymena, BT43 5EJ.

Please remember to quote the reference number FOI/352/1920 in any future communications.

If you are not content with the outcome of an internal review, you have the right to apply directly to the Information Commissioner for a decision. The Information

Commissioner can be contacted at: Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF.

Please be advised that Mid and East Antrim Borough Council may release the response to this information request into the public domain via our website at <https://www.midandeastantrim.gov.uk/>.

If we publish our response to your request, your personal data will be removed to protect your privacy.